AMENDMENT OF SOLICITATI	ON OF CONTRACT	1. Contract		Page 1 Of 6		
2. Amendment/Modification No.	3. Effective Date	4. Requisition/Purchase Req	No.	5. Project No. (If applicable)	
0001	2003SEP18	SEE SCHEDULE				
6. Issued By	Code W56HZV	7. Administered By (If other t	han Item 6)		Code	
TACOM WARREN BLDG 231 AMSTA-AQ-ALEC PAUL DRAKE (586)574-5896 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL EMAIL: DRAKEP@TACOM.ARMY.MIL						
			PAS	ADP P		
8. Name And Address Of Contractor (No., Stre	et, City, County, State and		DAAE 07 - 03 - Q- 9B. Dated (See		No.	
			2003SEP16	item 11)		
			10A. Modifica	tion Of Contract/	Order No.	
Code Facility Code			10B. Dated (Se	ee Item 13)		
11. T	HIS ITEM ONLY APPLI	ES TO AMENDMENTS OF SO	LICITATION	IS		
The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers is extended, Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing items 8 and 15, and returning 2 signed copies of the amendments: (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.						
13. THIS		TO MODIFICATIONS OF COM		DERS		
A. This Change Order is Issued Pursual The Contract/Order No. In Item 10	A. This Change Order is Issued Pursuant To: The Contract/Order No. In Item 10 A. The Contract/Order No. In Item 10 A.					
B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).					appropriation data, etc.)	
C. This Supplemental Agreement Is Ent	ered Into Pursuant To Au	thority Of:				
D. Other (Specify type of modification a	nd authority)					
E. IMPORTANT: Contractor is not, is required to sign this document and return copies to the Issuing Office.						
14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)						
SEE SECOND PAGE FOR DESCRIPTION						
Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.						
15A. Name And Title Of Signer (Type or print)	16A. Name And Title C	of Contracting	Officer (Type or	print)		
15B. Contractor/Offeror	15C. Date Signed	16B. United States Of A			16C. Date Signed	
(Signature of person authorized to sign)	-	By(Signature of	/SIGNED/ Contracting (Officer)		
	•		9	~		

CONTINUATION SHEET	Reference No. of Document Be	Page 2 of 6
	PHN/SHN DAAE07-03-Q-N511	MOD/AMD 0001

Name of Offeror or Contractor:

SUPPLEMENTAL INFORMATION

1. The purpose of this Amendment 0001 is to change the Level Preservation and Packaging from Military and B, to Commercial and Commercial, respectively.

2.The Packaging Requirements Provision 19 (52.211-4514) is therefore deleted and substituted with 52.211-4517.

*** END OF NARRATIVE A 001 ***

Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-Q-N511

MOD/AMD 0001

Page 3 of 6

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001AA	PRODUCTION QUANTITY	13	EA	\$	\$
	NOUN: RELAY ASSEMBLY PRON: EH387004EH PRON AMD: 01				
	AMS CD: 060011				
	Description (Green (Mark Ghataman)				
	Description/Specs./Work Statement TOP DRAWING NR: TDP 12298737				
	DATE: 12-AUG-2003				
	Packaging and Marking				
	PACKAGING/PACKING/SPECIFICATIONS:				
	SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 001 INTERMEDIATE PACK: 000				
	LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial				
	LEVEL PACKING. Commercial				
	Inspection and Acceptance				
	INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance				
	DOC SUPPL				
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV32110518 W62G2T J 2				
	DEL REL CD QUANTITY DAYS AFTER AWARD 001 13 0150				
	13 0150				
	FOB POINT: Destination				
	SHIP TO: PARCEL POST ADDRESS				
	(W62G2T) XU DEF DIST DEPOT SAN JOAQUIN TRANSPORTATION OFFICER				
	PO BOX 960001				
	STOCKTON CA 95296-0130				
0002AA	OPTION QUANTITY	13	EA	\$	\$
	NOTES OF THE SECOND OF THE SEC				
	NOUN: RELAY ASSEMBLY				
	OPTION QUANTITY, PURSUANT TO CLAUSE ENTITLED SEPARATELY PRICED OPTION FOR INCREASED QUANTITY				
	The quantity stated for the option CLIN DOES				
	NOT Form a part of the basic contractual				
	quantity. Part or all of it may, however,				

Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-Q-N511

MOD/AMD 0001

Page 4 of 6

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	be added to the contract by exercise of the option clause, at the discretion of the Government.				
	The failure of the offeror to insert a unit price applicable to the option quantity shall mean that the offeror will supply all or any part of the option, if exercised by the Government, at the basic contract unit price, and the offer will be evaluated for award accordingly.				
	(End of narrative B001)				
	Description/Specs./Work Statement TOP DRAWING NR: TDP 12298737 DATE: 12-AUG-2003				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 001 INTERMEDIATE PACK: 000 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 DEL REL CD QUANTITY DEL DATE 001 13 UNDEFINITIZED				
	FOB POINT: Destination				
	SHIP TO: PARCEL POST ADDRESS (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.				

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-N511

MOD/AMD 0001

Page 5 of 6

Name of Offeror or Contractor:

CONTRACT CLAUSES

Status	Regulatory Cite		Title	Date	
1 DELETED	52.211-4514 (TACOM)	PACKAGING REQUIREMENTS	(SPECIFICATIONS/STANDARDS)	MAY/2003	
2 CHANGED	52.211-4517 (TACOM)	PACKAGING REQUIREMENTS	(COMMERCIAL)	MAY/2002	

(a) The preservation, packing, and marking requirements for this order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

- (1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.
- (2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- (3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- (4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.
- (b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

- (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
 - (1) The quantity is over one (1) gross of the same national stock number,
 - (2) Use enhances handling and inventorying,
 - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
 - (4) The unit pack is less than 64 cubic inches,
 - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(e) Packing:

- (1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.
- (2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
- (f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-N511

MOD/AMD 0001

Page 6 of 6

Name of Offeror or Contractor:

preferred commercial expendable pallet is a 40×48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(g) Marking:

- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston).
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels may be created using the Computer Automated Transportation Tool Military Shipment Label/Issue Receipt Release Document (CATT MSL/IRRD). See the web site: http://www.asset-trak.com/catt/catt.htm. The software may be downloaded at: http://www.asset-trak.com/catt/msl_irrd/msl_irrddownload.htm. Be sure to bookmark this page for future releases of CATT MSL/IRRD.
- (h) Hazardous Materials: In addition to the general instructions listed above, hazardous materials or items as defined in CFR Title 49 are also subject to all applicable Department of Transportation regulations for packaging/packing, marking, labeling, container certification, and transport as listed in Code of Federal Regulations Title 49, Parts 100-180. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- (i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- (j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.
 - (k) SUPPLEMENTAL INSTRUCTIONS: None

[End of Clause]